# TSD File Inventory Index

Date: <u>Marchal 13, 2008</u>
Initial: <u>OM Klerafia</u>

Facility Name: Cheuron USA Inco	(h	Ah Bark Friel Ty- On Follow Site)	
Facility Identification Number:	tD.	083364679	
A.1 General Correspondence		B.2 Permit Docket (B.1.2)	
A.2 Part A / Interim Status	1	.1 Correspondence	
.1 Correspondence	1	.2 All Other Permitting Documents (Not Part of the ARA)	
.2 Notification and Acknowledgment	¥	C.1 Compliance - (Inspection Reports)	
.3 Part A Application and Amendments .	V	C.2 Compliance/Enforcement	V
.4 Financial Insurance (Sudden, Non Sudden)		.1 Land Disposal Restriction Notifications	T f
.5 Change Under Interim Status Requests		.2 Import/Export Notifications	-
.6 Annual and Biennial Reports		C.3 FOIA Exemptions - Non-Releasable Documents	
A.3 Groundwater Monitoring		D.1 Corrective Action/Facility Assessment	<del> </del>
1 Correspondence		.1 RFA Correspondence	+
.2 Reports		.2 Background Reports, Supporting Docs and Studies	+
A.4 Closure/Post Closure		.3 State Prelim. Investigation Memos	+
.1 Correspondence	T V	.4 RFA Reports	+
.2 Closure/Post Closure Plans, Certificates, etc		D. 2 Corrective Action/Facility Investigation	-
A.5 Ambient Air Monitoring		.1 RFI Correspondence	+
.1 Correspondence		.2 RFI Workplan	+
.2 Reports		.3 RFI Program Reports and Oversight	+
B.1 Administrative Record		.4 RFI Draft /Final Report	+
		5. RFI QAPP	+

Tetal -1

.6 RFI QAPP Correspondence	.8 Progress Reports
.7 Lab Data, Soil-Sampling/Groundwater	D.5 Corrective Action/Enforcement
.8 RFI Progress Reports	.1 Administrative Record 3008(h) Order
,9 Interim Measures Correspondence	.2 Other Non-AR Documents
.10 Interim Measures Workplan and Reports	D.6 Environmental Indicator Determinations
0.3 Corrective Action/Remediation Study	.1 Forms/Checklists
.1 CMS Correspondence	E. Boilers and Industrial Furnaces (BIF)
.2 Interim Measures	.1 Correspondence
.3 CMS Workplan	.2 Reports
.4 CMS Draft/Final Report	F Imagery/Special Studies (Videos, photos, disks, maps, blueprints, drawings, and other special materials.)
.5 Stabilization	G.1 Risk Assessment
.6 CMS Progress Reports	.1 Human/Ecological Assessment
.7 Lab Data, Soil-Sampling/Groundwater	.2 Compliance and Enforcement
D.4 Corrective Action Remediation Implementation	.3 Enforcement Confidential
.1 CMI Correspondence	.4 Ecological - Administrative Record
.2 CMI Workplan	.5 Permitting
.3 CMI Program Reports and Oversight	.6 Corrective Action Remediation Study
.4 CMI Draft/Final Reports	.7 Corrective Action/Remediation Implementation
.5 CMI QAPP	.8 Endangered Species Act
.6 CMI QAPP Correspondence	.9 Environmental Justice
1	

Note: Transmittal Letter to Be Included with Repo Comments: The full Marie (	rts
Comments: Whe falder Site !	



# UNITED STATES ENV. CONMENTAL PROTECTION AGENCY

DEC 17 1982

111 West Jackson Blvd. CHICAGO, ILLINOIS 60604

REPLY TO ATTENTION OF:

RCRA ACTIVITIES

Marion M. Smith Vice President - Marketing Chevron U.S.A. Incorporated 575 Market Street San Francisco, California 94105

RE: Withdrawal of Part A

(Storage fewer than 90 Days)

FACILITY NAME: Cincinnati Asphalt Refinery

USEPA ID NO.: OHD 083 364 679

Dear Mr. Smith:

This is to acknowledge that the United States Environmental Protection Agency (USEPA) has completed its review of your Part A Hazardous Waste Permit Application and Your letter of October 13, 1982, requesting the withdrawal of your permit application. According to the information which you have submitted, your facility has accumulated wastes generated on site for fewer than 90 days in containers or tanks since November 19, 1980, in accordance with 40 GFR Part 262.34. It is the opinion of this office, based on the information submitted, that your facility is not required to have a hazardous waste permit under Section 3005 of the Resource Conservation and Recovery Act at this time.

Please he advised that you must ensure that your waste is handled in accordance with 40 CFR Part 262.34 (enclosed), and applicable State and local requirements.

Please contact the Technical, Permits, and Compliance Section at (312) 353-2197 for assistance, if you have any questions. Please refer to "With-drawal of Part A (Storage fewer than 90 Days)," in all correspondence on this matter.

Sincerely yours,

Karl J. Klepitsch, Jr., Chief

Waste Management Branch

Enclosure

cc: C.R. Lupcho, Senior Specialist - Environmental Donald Pruett, Refinery Manager

**OEPA** 



IX. DESCRIPTION OF HAZARDOUS WASTES (continued from front)
A. HAZARDOUS WASTES FROM NON—SPECIFIC SOURCES. Enter the four—digit number from 40 CFR Part 261.31 for each listed hazardous waste from non—specific sources your installation handles. Use additional sheets if necessary.
1     2     3     4     5     6       23     - 26     23     - 26     23     - 26       7     8     9     10     11     12       23     - 26     23     - 26     23     - 26
B. HAZARDOUS WASTES FROM SPECIFIC SOURCES. Enter the four—digit number from 40 CFR Part 261.32 for each listed hazardous waste from specific industrial sources your installation handles. Use additional sheets if necessary.
13
C. COMMERCIAL CHEMICAL PRODUCT HAZARDOUS WASTES. Enter the four—digit number from 40 CFR Part 261.33 for each chemical substance your installation handles which may be a hazardous waste. Use additional sheets if necessary.
31 32 33 34 35 36 36 37 36 37 36 37 36 37 36 37 36 37 36 37 37 37 37 37 37 37 37 37 37 37 37 37
D. LISTED INFECTIOUS WASTES. Enter the four—digit number from 40 CFR Part 261.34 for each listed hazardous waste from hospitals, veterinary hospitals, medical and research laboratories your installation handles. Use additional sheets if necessary.
49 50 51 52 53 54
E. CHARACTERISTICS OF NON-LISTED HAZARDOUS WASTES. Mark "X" in the boxes corresponding to the characteristics of non-listed hazardous wastes your installation handles. (See 40 CFR Parts 261.21 – 261.24.)
1. IGNITABLE 2. CORROSIVE 3. REACTIVE 24. TOXIC (D001) (D000)
X. CERTIFICATION  I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.
SIGNATURE  NAME & OFFICIAL TITLE (type or print)  DATE SIGNED  7/25/80 157  REFINERY MANAGER  8/18/80 REVISED

REVISED 8/18/80

EPA Form 8700-12 (6-80) REVERSE

Please go to the reverse of this form and provide the requested information.

							~~~~		rom fron									
									er the four- litional she				CFR Pa	rt 261	.31 for ea	ch listed	hazard	dous
:	1		48.47.3	2			T :	3			4	-		5	N	1	5	14.
						er. En ge			1						]			
	7	26		23 -	26	T ,e	23	- 25 }	7	23	0		23	- 26		23	26 2	-
	<del>                                     </del>	1		1	+		<del>                                     </del>	, 	-	<u> </u>	ŮТ	<del> </del>	<del>                                     </del>		1	<del></del>	-	1
						Pil Valid						1						
R HAZA	EDOUG I	26 I	TES ERO	M SPECI	FIC SI	TURCES	Fnter	the fo	Jurdigit r	umber	from	AD CER Pa	123 ort 261	32 for	each liste	d hazard	OUS WE	ste from
									sheets if ne			10 0, 11 1		<u> </u>	1			31C 170111
	13	( N		14			100 P	5			6		1	7		1	8	
	001	3		0 18	38								23					
	19	26		23 -	- 26	ş Î e	23 2	26 1	1	23	26	1		3		23 2	4	
		П	and to seeming	TIT		ff:											1	
	z3	26		23	26	` .	23	26	1	23	26		23	26		23	26	
Alter Miller	25	<b></b>		26	را ــــــار	allekersi sa.	2	7		2	8	- 0.3 NOVEMBER	2	9		3	0	
VF SECTION								26			26							
C. COMN stance	MERCIAL your inst	CHE allatio	MICAL Pon handle	RODUC s which	T HAZ	ARDOL a hazar	JS WAS dous wa	TES. ste. L	Enter the f Ise addition	our—d nal she	git nu	mber from ecessary.	40 CFI	R Part	261.33 fo	or each c	hemica	al sub-
	31			32		·	3:	3	] , .	3	4	1	3	5		3	6	
					Ш.				]									
	z3 - 3.7	26		z3 - 3.8	26		23 35	2.6 3	1	23 4			23 4	. 26 1	-	23 4	26	
	TT	T			T													
	23	26	edich commence en	23	25	A. C.	23	26		23	.26	1	23	26		23	26	
	43			44			4	5		- 1917 A	6		4	7		4	в .	
									:						÷			
	23	26		23	26		23	26	10.050	23	26	1	23 -	26	<u> </u>	23 •	26	
									m 40 CFR s. Use add					aroous	waste tro	m nospi	tais, ve	terinary
	49			50		: .	5	1		5	2		5	3		: 54	4	
															ruysija,			
E. CHAR	ACTERIS	TICS	OF NON	V—LISTE	D HA	ZARDO	US WAS	TES.	Mark "X" 2 <i>1 – 261,2</i>	in the	boxes.	correspon	ding to	the ch	aracteristi	cs of no	n—liste	ed :
1102.01		a production of the second sec	TABLE	don nam	hice s		CORRO		2, 20,,1			REACTIV	E			4. тох	ıc	
	(D001)					(D002)		06 0 00 060 5008		()	0003)				(D0			
X. CER	TIFICAT	ION																
attache I believ	d docum e that th	nents he su	s, and the	iat base Linform	d on a	my inqu is true,	uiry of accura	thos ite, a	ined and e individu nd comp i imprisor	als in ete. I	medi am a	ately resp	onsibl	e for	obtainin	g the i	nform	ation,
SIGNATO	PRE		)		<del></del>		NA	ME &	OFFICIA	L TITL	E (typ	e or print	)	-	0	ATÉ SI	GNED	<del></del>
N	-6		) 141 (1)	4				PE	FINE	72 V	, N	BNE	4 G Z	-72		7/2	5/8	0

EPA Form 8700-12 (6-80) REVERSE



## Chevron U.S.A. Inc. 575 Market Street, San Francisco, CA 94105

emore FUR 90 9.5

OCT 281982

WASTE MANAGEMENT BRANCH EPA. REGION V

a segmente com la processor de la processor de

October 13, 1982

Marion M. Smith Vice-President Marketing

> U.S. Environmental Protection Agency RCRA Activities Region V P.O. Box A3587 Chicago, Illinois 60690-3587

Attention: Karl J. Klepitsch, Jr., Chief Waste Management Branch

Dear Mr. Klepitsch:

In November of 1980, the Chevron U.S.A. Marketing Department submitted a Part "A" RCRA application requesting interim status for our Cincinnati Asphalt Refinery. This facility is located at the following address:

Chevron U.S.A. Inc. 11001 Brower Road North Bend, Ohio 45052

The EPA-RCRA I.D. number is: OHDO83364679 TSD PA

The Cincinnati facility manufactures asphaltic products. In the operation of our refinery, we do not store or intend to store hazardous waste for over 90 days and we are not treating or disposing of hazardous waste on-site. As the RCRA regulations have unfolded, many clarifications of the requirements have been provided by the Agency which now make it clear that we made an error in filing for interim status. We do wish to retain our "generator" I.D. number as we will need it to properly manifest and dispose of any hazardous waste we might generate.

Would you please provide guidance on withdrawing our interim status application for our Cincinnati Asphalt Refinery. As noted above, we want to retain our "generator" I.D. number. If you have any questions which could be handled by telephone, please contact C. R. Lupcho at (415) 894-4286.


Very truly yours,

mm Amith

CRL:jo

COLUBER )





HAZAL JOUS WASTE PERMIT APPLICATION  TORGETECHN USE ONLY  APPLICATION STATE AND A STATE AN	Please print or type in the unshaded areas only (fill—in areas are spaced for elite type, i.e., 12 characters/inch).	Form Approved OMB No. 158-S80004 256
III. FIRST OR REVISED APPLICATION.  REPEAR OF THE TOTAL PROCESS.  FOR EACH PROCESS.  A FIRST APPLICATION page of "A" "Soon and process the appropriate best in the first application, or the year facility." SPALD, Number, or it this is received application, but you feel application and you already know your backling. "SPALD, Number, or it this is received application, but you feel application and you already know your backling." FPALD, Number, or it this is received application, but you feel application and you already know your backling." FPALD, Number, or it this is received application, but you feel application and you already know your backling. "SPALD, Number, or it this is received application, but you feel application of your feel application, but you feel application of your feel application of your feel application, but you feel application of your f	3 SEPA HAZAN JOUS WASTE PERMI Consolidated Permits Pro	T APPLICATION FOR BOTTON FOR BOTT
TIPEST OR REVISED APPLICATION  Page on "X" in the suprepage 50 or in A or B bloke (mark one box pool)* to no date whether roll is the fire speciation not are submitting for your facility or A per an application and up, already in two your facility or A per an application and up, already in two your facility or A per A per an application and up, already in two your facility or A per an application and up, already in two your facility or A per A per an application and up, already in two your facility or A per an application and up, already in two your facility or A per A per an application and up, already in the per application or are submitting to your facility or A per A per an application and up, already in the per application or a per application or a per application or app	FOR OFFICIAL USE ONLY	
IL FIRST OR REVISIDE APPLICATION  From an X** In the appropriate the Nation of Part 200 in indicate whether this is both in supplication you are submitting for your facility or a revised application in the Nation of Part 200 in indicate whether this is both in supplication you are submitting for your facility or a revised application, enter your facility or a revised application, enter your facility or a revised application of Part 200 in the Nation of Par		COMMENTS 1. Provide the control of t
Face an "X" in the appropriate box in A or B solvion freef on a fox and visit in discast whether this is we first application you are submitting for your feelity or a revision application, in the property provides application, in the provides application of the provides application and the provides applic		
revised application. If this is your first application and you already know your facility's EPA LD. Number in that is also in that is a source of the process.  A FIRST APPLICATION power and provide the apply provide due.  Consider the body decided the body decide of the apply provide due.  Consider the body decided the body decide of the apply provide due.  Consider the body decided the body decided of the apply provide due.  Consider the body decided the body decided of the provided the body decided the provided for the provided for the provided for entiring codes. If more it is an exactly ment and complete them is always.  III. FROCESS CODE — Enter the code from the list of process codes below the best describes each process to be used at the facility. Ten times are provided for entering codes. If more it is an exactly enter the code find the tax of codes below, then decided the process (body decided the process).  III. FROCESS CODE — Enter the code from the list of process codes below the best describes each process to be used at the facility. Ten times are provided for entering codes. If more it is an exactly enter the codes in the process will be used that is not included in the list of codes below, then decided the body decided the process.  III. FROCESS CODE — Enter the code from the list of process codes will be used that is not included in the list of codes below, then decided the body decided the process.  III. AND IV. The process (body decided the process) and the list of codes below, then decided the body decided the process (body decided the process) and the list of codes below, then decided the body decided the process of the process.  III. AND IV. The process (body decided the process) and the list of codes below, then decided the process (body decided the process) and the list of codes below, then decided the process (body decided the process) and the list of codes below, then decided the proces		icate whether this is the first application you are submitting for your facility or a
EXESTING FACILITY (See Instructions for definition of "seating" feetility.	revised application. If this is your first application and you already know your f EPA I.D. Number in Item I above.	acility's EPA I.D. Number, or if this is a revised application, enter your facility's
8. REVISEO APPLICATION Coles on "X" below and complete filters 1 above)  9. REVISEO APPLICATION Coles on "X" below and complete filters 1 above)  1. FACILITY HAS INTERNET STATUS  1. FACILITY HAS INTERNET STATUS INTERNET STATUS HAS INTERNET. TO SHARING HIS INTERNET STATUS HAS INTERNET. TO SHARING HIS INTERNET. T	1. EXISTING FACILITY (See instructions for definition of "existing" Complete item below.)	acility. 2.NEW FACILITY (Complete item below.)  71  FOR NEW FACILITIES. PROVIDE THE DATE
TILECTION WELL  DE ACRESSED CODE AND DESIGN CAPACITIES  A. PROCESS CODE — Enter the code from the list of process codes below that best describes each process to be used at the facility. Ten lines are provided for entering codes, if more lines are neglect on the place of the facility of the pages provided on the form lines in the list of codes below, then describe the process including the design expectify in the space provided on the form lines in the list of codes below, then describe the process including in design expectify in the space provided on the form lines in the list of codes below, then describe the process including in the page provided on the form little.  B. PROCESS DESIGN CAPACITY — For each code entered in column AI, harms the capacity of the process.  2. UNIT OF MEASURE — For each code entered in column AI, harms the capacity of the process.  2. UNIT OF MEASURE — For each code entered in column AI, harms the capacity of the process.  2. UNIT OF MEASURE — For each code entered in column AI, harms the capacity of the process.  2. UNIT OF MEASURE — For each code entered in column AI, harms the capacity of the process.  2. UNIT OF MEASURE — For each code entered in column AI, harms the capacity of the process.  PROCESS —	8 53 10 OPERATION BEGAN OR THE DATE CONSTR	UCTION COMMENCED TION BEGAN OR IS EXPECTED TO BEGIN
A PROCESS CODE — Enter the code from the list of preses vodes below ther best describes seen process to be used at the facility. Tel lines are provided for entering codes. If the process including its design capacity in the space provided it is cross will be used that is not included in the list of codes below, then describe the process including its design capacity in the space provided on the form (Item III-III).  B. PROCESS DESIGN CAPACITY — For each doce entered in column a tent the capacity of the process.  1. AMOUNT — Enter the amount.  2. AMOUNT — Enter the amount.  3. AMOUNT — Enter the amount.  4. AMOUNT — Enter the amount.  4. AMOUNT — Enter the amount.  4. AMOUNT — Enter the amount.  5. AMOUNT — Enter the amount.  6. AMOUNT		r—
entering codes. If more lines are needlee, enter the code's in the sized provided in the form flate in IFO.  8. PROCESS DESIGN CAPACITY — For each code entered in column A enter the capacity of the process.  1. AMOUNT — Enter the amount.  2. UNIT OF MEASURE — For each amount entered in column B (1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the unit of measure used. Only the unit of onesaure when the use of the unit of measure used. Only the unit of measure used. Only the unit of onesaure when the use used to use the unit of measure used. Only the unit of onesaure when the use of the unit of the measure used. Only the unit of onesaure when the use of the unit of measure used. Only the unit of onesaure when the use of the used.  PROCESS CODE — PROCESS — PR	III. PROCESSES – CODES AND DESIGN CAPACITIES	
1. AMOUNT — Enter the amount. 2. UNIT OF MEASURE — For each amount entered in column 8(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.  PROC MEASURE FOR PROCESS  PROCESS  PROCESS  CODE  PROCESS  PROCE	entering codes. If more lines are needed, enter the code(s) in the space provi	ded. If a process will be used that is not included in the list of codes below, then
2. UNIT OF MEASURE — For each amount entered in column 8(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are isted below should be used.  PROCESS CODE DESIGN CAPACITY PROCESS CODE CESS MEASURE FOR PROCESS CODE DESIGN CAPACITY TANK  TO ALLONS PER DAY OR TANK TO ALLONS PER DAY OR SUFFACE IMPOUNDMENT TO ALLONS PER DAY OR UNIT OF MEASURE CONTAINER (barrel, drum, etc.) \$0.0 CALLONS OR LITERS TANK  SUFFACE IMPOUNDMENT SA4 CALLONS OR LITERS TO ALLONS		the capacity of the process.
PROC. APPROPRIATE UNITS OF CESS MEASURE FOR PROCESS CESS MEASURE FOR PR	2. UNIT OF MEASURE — For each amount entered in column B(1), enter:	
PROCESS CODE DESIGN CAPACITY Treatment:  Treatment: TRANK TOTAL GALLONS OR LITERS TANK WASTE FILE CONTAINER former, drum, etc.) \$61 GALLONS OR LITERS 502 GALLONS OR LITERS 503 GALLONS OR LITERS 504 GALLONS OR LITERS TANK WASTE FILE TOTAL GALLONS OR LITERS SURFACE IMPOUNDMENT 504 GALLONS OR LITERS DISPOSE INCIDENTAL D79 GALLONS OR LITERS DISPOSE INCIDENTAL D79 GALLONS OR LITERS MARTER TOTAL GALLONS OR LITERS DISPOSE INCIDENTAL D79 GALLONS OR LITERS DISPOSE METRIC TOTAL MARTING TOTAL	PRO- APPROPRIATE UNITS OF	PRO- APPROPRIATE UNITS OF
CONTAINER (barrel, drum, etc.) 501 GALLONS OR LITERS TANK 502 GALLONS OR LITERS TANK SOUR ACLOURS OR LITERS SUFFACE IMPOUNDMENT TO 2 GALLONS PER DAY OR LITERS SUFFACE IMPOUNDMENT TO 2 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 2 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 2 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARDS SUFFACE IMPOUNDMENT TO 3 GALLONS PER DAY OR CUBIC VARD		
WASTE PILE  SURFACE IMPOUNDMENT  SURFACE IMPOUNDMENT  Disposal:  Disposal:  Disposal:  Disposal:  Disposal:  DISPOSAL CALLONS OR LITERS  DISPOSAL CALLONS OF LITERS  LAND APPLICATION  DESTRICT ON SERVING ON CALLONS OF LITERS  LAND APPLICATION  DESTRICT ON SERVING ON CALLONS OF LITERS  SURFACE IMPOUNDMENT  DISPOSAL CALLONS OF LITERS  UNIT OF MEASURE  CODE  CODE  CODE  UNIT OF MEASURE  CODE  UNIT O	CONTAINER (barrel, drum, etc.) 501 GALLONS OR LITERS	
Disposal:   Disp	WASTE PILE 503 CUBIC YARDS OR CUBIC METERS	SURFACE IMPOUNDMENT TO2 GALLONS PER DAY OR LITERS PER DAY
LANDFILL  D80 ACRE-FEET (file volume that would color on each to a days of one foot) or a days of one foot) or any to a days of one foot) or any to a days of one foot) or a days of on	Disposal:	METRIC TONS PER HOUR; GALLONS PER HOUR OR
LAND APPLICATION OCEAN DISPOSAL  UNIT OF MEASURE UNIT OF MEASURE CODE UNIT OF MEASURE CUBIC VARIOUS  LITERS PER DAY  UNIT OF MEASURE CUBIC VARIOUS  CALLONS PER HOUR  UNIT OF MEASURE CUBIC VARIOUS  CUBI	LANDFILL D80 ACRE-FEET (the volume that would cover one acre to a	OTHER (Use for physical, chemical, TO4 GALLONS PER DAY OR thermal or biological treatment LITERS PER DAY
SURFACE IMPOUNDMENT  Des GALLONS OR LITTERS  UNIT OF MEASURE  CODE  UNIT OF MEASURE  ON LITERS PER POAY  A CRES-  A CRES- A CRES-  A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES- A CRES-	HECTARE-METER	surface impoundments or incinerators. Describe the processes in
UNIT OF MEASURE CODE UNIT OF M	LITERS PER DAY	
UNIT OF MEASURE CODE UNIT OF M		UNIT OF UNIT OF
CUBIC YARDS . Y METRIC TONS PER HOUR. W ACRES . B GALLONS PER HOUR. W ACRES . G GALLONS PER HOUR. H EXAMPLE FOR COMPLETING ITEM III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks, one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.  EXAMPLE FOR COMPLETING ITEM III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks, one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.  EXAMPLE FOR COMPLETING ITEM III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks, one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.  EXAMPLE FOR COMPLETING ITEM III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks, one tank can hold 200 gallons and the other can hold 400 gallons and the other can hold 400 gallons and the other can hold 400 gallons per hour.  EXAMPLE FOR COMPLETING ITEM III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks, one tank can hold 200 gallons and the other can hold 400 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.  EXAMPLE FOR COMPLETING ITEM III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks, one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.  EXAMPLE FOR COMPLETING ITEM III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks, one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons and the other can hold 400 gallons and	UNIT OF MEASURE CODE UNIT OF MEASURE	CODE UNIT OF MEASURE CODE
CUBIC METERS GALLONS PER DAY UNITERS PER HOUR EXAMPLE FOR COMPLETING ITEM III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks, one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.  C DUP  I A PRO CESS CODE CODE CODE CODE CODE CODE CODE CODE	LITERS TONS PER HOUR .	D HECTARE-METER
ther can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.    C	CUBIC METERS	HECTARESQ
DUP	<b>EXAMPLE FOR COMPLETING ITEM III</b> (shown in line numbers X-1 and X-2 other can hold 400 gallons. The facility also has an incinerator that can burn up	below): A facility has two storage tanks, one tank can hold 200 gallons and the to 20 gallons per hour.
A. PRO   CESS   CODE   (From list above)   CESS   CODE	C DUP I \\\\	
	A PRO-	L A PRO-
X1S 0 2 600 G S X-2T 0 3 20 E 6   1 SQ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	US CODE 2. UNIT OFFICIA	CODE CODE 1. AMOUNT SURE (enter ONLY
X-2703 20 E 6  I SQ 2 2QQQQQ G 7  8  3 9		
3     9		
3       9	1 50 2 2000000 6	7
		8
	3	9   9
	4	10

III. PR	OCESSES	(continued)	
---------	---------	-------------	--

c. space for additional process codes of for describing other processes (code "T04"). For each process entered here include design capacity.

# SO 2 - API SEPARATOR FOLLOWED BY INDUCED AIR FLOATATION UNIT

## IV. DESCRIPTION OF HAZARDOUS WASTES

- A. EPA HAZARDOUS WASTE NUMBER Enter the four—digit number from 40 CFR, Subport D for each listed hazardous waste you will handle. If you handle hazardous wastes which are not listed in 40 CFR, Subpart D, enter the four—digit number(s) from 40 CFR, Subpart C that describes the characteristics and/or the toxic contaminants of those hazardous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste/s/ that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE CODE	METRIC UNIT OF MEASURE CODE
POUNDSP	KILOGRAMS, K
TONS. ,	METRIC TONS

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

#### D. PROCESSES

PROCESS CODES:

For listed hazardous waste: For each listed hazardous waste entered in column A select the code/s/ from the list of process codes contained in Item III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed hazardous wastes: For each characteristic or toxic contaminant entered in column A, select the code(s) from the list of process codes contained in Item III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed hazardous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of Item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: HAZARDOUS WASTES DESCRIBED BY MORE THAN ONE EPA HAZARDOUS WASTE NUMBER — Hazardous wastes that can be described by more than one EPA Hazardous Waste Number shall be described on the form as follows:

- 1. Select one of the EPA Hazardous Waste Numbers and enter it in column A. On the same line complete columns B,C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- 2. In column A of the next line enter the other EPA Hazardous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.
- 3. Repeat step 2 for each other EPA Hazardous Waste Number that can be used to describe the hazardous waste."

EXAMPLE FOR COMPLETING ITEM IV (shown in line numbers X-1, X-2, X-3, and X-4 below) — A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation, the addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

	A. EPA		C. UNIT		
LINE NO.	HAZARD. WASTENO (enter code)	B. ESTIMATED ANNUAL QUANTITY OF WASTE	OF MEA- SURE (enter code)		(1))
X-1	K 0 5 4	900	P	T. 0 3 D 8 0	
X-2	D 0 0 2	400	P	T 0 3 D 8 0	
X-3	$D \mid 0 \mid 0 \mid I \mid$	100	P	T 0 3 D 8 0	
X-4	D 0 0 2			included with above	

Continued from page 2.

NOTE: Photocopy this page before completing if y

have more than 26 wastes to list.

Form Approved OMB No. 158-S80004


FOR OFFICIAL USE ONLY EPA I.D. NUMBER (enter from page 1) 7931 WOHD0833646 DUP W DUP V. DESCRIPTION OF HAZARDOUS WASTES (continued) A EPA
HAZARD,
ZO WASTENO C. UNIT OF MEA-SURE (enter code) D. PROCESSES B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) - 29 27 - 29 27 25 27 36 K 248 1 KQ5 2 3 4 5 6 7 8 9 10 11. 12 13 14 15 16 17 18 19 20 21 22 23 า4 25 26


V. FACILITY DRAWING (see page 4)

CHEVRON USA INC. CINCINNATI REFINERY

EPA-ID - OH 1083364679

SEE ATTACHED SKETCH & PHOTOS








		.*	÷	
			•	
·				·
				,
<u></u>		15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		THE RESERVE OF THE PROPERTY OF
	•			
			,	

		•		$e^{t}$
ONTINUED FROM THE FRONT				
VII, SIC CODES (4-digit, in order of priority)			B SECOND	
Sla a la (specify)	O Berger Course Server of Water Affice	5 195.1 (specif)	0 (4	
729,1.1 PETROLEUM RE	FINING	1, 2, 2, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	PAVING MIXT	URES
C. THIRD			D. FOURTH	
5 10 5 2 (specify)	4.1	c (specif)	ν) <sub>.</sub>	
729.52 ROOFING ASPHI	4L1	# 5 1 6 minutes and \$ 9	nasta valtaliseksi eleksi atki 1950 yilda 1550 talih 1550 talih 1550	
VIII. OPERATOR INFORMATION				B. Is the name listed in
<u></u>	A NAME		<del></del>	item VIII-A also the   owner?
BCHEVRON USA IN	2			YES □ NO
15:16				55 (56)
C. STATUS OF OPERATOR (Enter the ap	propriate letter into the answe	box; if "Other", specify	:) - D PHON	E (area code & no.)
F = FEDERAL M = PUBLIC (other that S = STATE O = OTHER (specify)	n federal or state) D (SP	ecify)	\$ 5 \ 3	941466
P = PRIVATE	56		मुझ के प्राव्यक्ता	12.2. 21. 22
E STREET	OR P.O. BOX			
PO BOX 96		200 A		
F. CITY OF TO	- , o - o , o garo de la capación de la comencia. Na la comencia de la	G.STATE H. ZIF	CODE IX, INDIAN LAN	•
				ited on Indian lands?
BNORTH BEND		0.4 4.50	<b>1</b> ,5,2 □ YES	<b>≱</b> NO
		A0 A1 A2 47	-1.00 at 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	(1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2) (1/2
X. EXISTING ENVIRONMENTAL PERMITS				
A. NPDES (Discharges to Surface Water)	Depso (Air Emissions	from Proposed Sources)		Appendix in Contract of Contract Appendix 12 (27). The Contract Appendix 12 (27) is a first Contract Appendix 12 (27) in the Contrac
9 N O H & & I & & & 6	9 2			
B UIC (Underground Injection of Fluids)	30 15 16 17 18 E.OTHER	(specify	30	
C. T.			(specify)	
9 0	9 1 4,3,5,8	1.44.	AIR PER	MIT
C. RCRA (Hazardous Wastes)	E. OTHER	(specify)		
	0 S S		(specify)	
9 8 1	30 35 06 37 31	to the second se	30.	
XI, MAP				
Attach to this application a topographic m	ap of the area extending to	at least one mile beyo	ond property bounderies	. The map must show
the outline of the facility, the location of treatment, storage, or disposal facilities, a	each of its existing and pr nd each well where it injec	oposed intake and dis its fluids underground	l. Include all springs, riv	ers and other surface
water bodies in the map area. See instruction				/50
XII. NATURE OF BUSINESS (provide a brief des	cription)			
PROCESSING CRI	ude oil re	SID. INTO	PAVING A	tsphialt,
ASPHALT EMUL	TIAN ZIANIZ	2005 W	A-SPHALT	•
H SPHALL ENGL	31003, 406	10004 1006	MAZEMECI	
,				
	, ,		·	
				(5)
				1
		·		·
XIII. CERTIFICATION (see instructions)				
I certify under penalty of law that I have attachments and that, based on my inqu	personally examined and al irv of those persons immi	n familiar with the inf ediately responsible fo	formation submitted in t or obtaining the informa	nis application and all ition contained in the
application, I believe that the information	is true, accurate and com	plete. I am aware tha	t there are significant pe	enalties for submitting
false information, including the possibility				
A. NAME & OFFICIAL TITLE (type or print)	B. SIGNAT	JRE		C. DATE SIGNED
J.P. Mkta, Cheuvoi	A UDAIN	hulle	1	[[1] 80
COMMENTS FOR OFFICIAL USE ONLY	1 11,111			
COMMENTS FOR OFFICIAL USE ONLY				
C		to an artist of the second		

•			
			•
*			
		•	
	·		
		·	
		·	
•			







CINCINNATI REFINERY CINCINNATI REFINERY

gH



OHD 083 364 679

'ox 1049, 1800 WaterMark Dr. .bus, Ohio 43266-0149 (o.4) 644-3020 FAX (614) 644-2329

George V. Voinovich
Governor

Donald R. Schregardus

Director

### CERTIFIED MAIL

June 2, 1994

RE: CLOSURE PLAN EXTENSION CHEVRON U.S.A., INC. 501 (1), 502 (3) OHD 004354132/05-31-0218

Mr. John Tiffany Chevron U.S.A., Inc. P.O. Box 96 North Bend, Ohio 45052 RECEIVED WMD RECORD CENTER

JUN 15 1994

Dear Mr. Tiffany:

On March 30, 1994, Chevron U.S.A., Inc. (Chevron) located at the intersection of U.S. Route 50 and S.R. 128 in Hooven, Ohio, submitted a request for an extension to the closure period specified in the approved closure plan dated October 18, 1991, for 180 days, until October 25, 1994. (One extension, for 180 days, has already been granted to Chevron. This extension period expired on April 28, 1994.) The extension request was submitted pursuant to OAC Rule 3745-66-13(B) as closure will require longer than the 180 day period specified in OAC Rule 3745-66-13. Chevron has requested this extension because soil analysis in two of the units reveals contamination above the clean standard. clean standard is outlined in the approved closure plan. Chevron is currently gathering data which will result in an amendment to the plan in the future. Evaluation/plan preparation has been too time consumptive to complete within the 360 day timeframe granted in the approved plan and subsequent extension. At the end of this extension on October 25, 1994, OEPA expects Chevron to file an amended plan.

My staff reviewed your request and recommends that the extension be granted per Rule 3745-66-13(B) of the Ohio Administrative Code. I concur, and am therefore, granting this extension request. This extension is being granted for the above referenced closure plan and expires on October 25, 1994.

Chevron shall continue to take all steps to prevent a threat to A. human health and the environment from the unclosed, but inactive waste management unit per OAC Rule 3745-66-13(B)(2).

Please be advised that approval of this closure extension request

I certify this to be a true and accurate copy of the official document as filed in the records of the Ohio Environmental Protection Agency.

Printed on recycled paper

By: Mary Cavin Date 6/2/01/1

Mr. John Tiffany Chevron U.S.A., Inc. Page 2 -

does not release Chevron from any responsibilities as required under the Hazardous and Solid Waste Amendments of 1984 regarding corrective action for all released of hazardous waste or constituents from any solid waste management unit, regardless of the time at which waste was placed in the unit.

When closure is completed, the Ohio Administrative Code Rule 3745-66-15 requires the owner or operator of a facility to submit to the Director of the Ohio EPA certification by the owner or operator and an independent professional engineer, that the facility has been closed in accordance with the specifications in the approved closure plan. These certifications shall follow the format specified in OAC 3745-50-42(D), and should be submitted to: Ohio Environmental Protection Agency, Division of Hazardous Waste Management, Attn: Tom Crepeau, Data Management Section, P.O. Box 1049, Columbus, Ohio 43266-0149.

You are hereby notified that this action of the Director is final any may be appealed to the Environmental Board of Review pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Board of Review within thirty (30) days from the receipt of this letter. A copy of the appeal must be served to the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Board. An appeal must be filed at the following address:

> Environmental Board of Review 236 East Town Street Room 300 Columbus, Ohio 43215

Sincere/y

I certify this to be a true and accurate copy of the official document as filed in the records of the Ohio Environmental Protection Agency.

Donald R. Schregardus

Director

DRS/nys

cc: Tom Crepeau, DHWM, Central File, Ohio EPA Section Chief, Ohio Permit Section, USEPA, Region V Mark Boden, DHWM, Southwest District Office, Ohio FPA DURNAL DOUGH DISTRICTOR'S JOURNAL Closure Unit Supervisor, DHWM, Ohio EPA



### Chevron U.S.A. Inc.

575 Market Street, San Francisco, California Mail Address: P.O. Box 7643, San Francisco, CA 94120

April 21, 1982

MASTE SCHOOLSTANDA

U.S. Environmental Protection Agency Region V 111 W. Jackson Street - 16th Floor Chicago, IL 60604



Chevron U.S.A. Inc. 575 Market Street, San Francisco, CA 94105 Phone (415) 894-4286

Attention:

Dr. Eugene Meyer

Chief - Technical Program Section

RCRA Activities

Dear Dr. Meyer:

C. Robert Lupcho Senior Specialist - Environmental Marketing Operations

In November of 1980, the Chevron U.S.A. Marke "A" RCRA application requesting interim status for our Cincinnati Asphalt Refinery. This facility is located at the following address:

Chevron U.S.A. Inc. 11001 Brower Road North Bend, Ohio 45052

TSD, PA

The EPA-RCRA I.D. number is: OHD083364679 gmb

The Cincinnati facility manufactures asphaltic products. In the operation of our refinery, we do not store or intend to store hazardous waste for over 90 days and we are not treating or disposing of hazardous waste on-site. As the RCRA regulations have unfolded, many clarifications of the requirements have been provided by the Agency which now make it clear that we made an error in filing for interim status. We do wish to retain our "generator" I.D. number as we will need it to properly manifest and dispose of any hazardous waste we might generate.


Would you please provide guidance on withdrawing our interim status application for our Cincinnati Asphalt Refinery. As noted above, we want to retain our "generator" I.D. number. If necessary, I would be happy to meet with you or your staff in Chicago. If you have any questions which could be handled by telephone, I can be reached at (415) 894-4286.

Very truly yours,

C. R. Lupcho

Senior Specialist-Environmental

CRL:jo





OHD CON 3097724 MONIE HOW OHD CON 724 211

MAN 1 8 1982

Mr. M. J. Halbleib
Specialist - Environmental Compliance
Chevron U.S.A., Incorporated
1527 Starks Building
Louisville, Kentucky 40202

Dear Mr. Halbleib:

Thank you for your letter of January 7, 1982, requesting written clarification of this Agency's position regarding your proposal to remove a solid waste from a lagoon formerly used as an American Petroleum Institute (API) separator for petroleum refining. Please be advised that the solid waste removed from this lagoon should be considered as a Subpart D hazardous waste, KO51 "API separation sludge from the petroleum refining industry" as listed in 40 CFR Part 261.32. At such time that the sludge is dredged from the lagoon, you must consider yourself as a generator of the listed hazardous waste (KO51) which must be handled according to all applicable Federal regulations under the Resource Conservation and Recovery Act (RCRA).

It is your prerogative to petition to the Administrator for exclusion of this particular waste at your facility as outlined in 40 CFR 260.22(a). In order to substantiate your case you must demonstrate to the Administrator's satisfaction that your KO51 hazardous waste does not meet any of the criteria under which the waste was listed as hazardous. Furthermore, a waste listed in Subpart D of 40 CFR Part 261 which may be excluded in this manner must also be examined for characteristics of hazardous waste as outlined in 40 CFR Part 261 Subpart C.

In order to assist you in the preparation of your petition, I have mailed to you, under separate cover, a copy of the May 19, 1980. Vol. 45, No. 98, Federal Register and a copy of the appropriate sections of our background documents which detail the basis for listing hazardous wastes from the petroleum refining industry. I encourage you to examine the portions of the preamble, pages 33110 through 33114, and Appendix VII of 40 CFR 261 entitled, "Basis for Listing Hazardous Waste" in the Federal Register.

I understand that Mr. Debus of my staff had previously mailed to you a Superfund application with instructions. Mr. Debus has informed me that you did not report this lagoon on your hazardous waste Part A permit application which was submitted on November 18, 1980.

	·				
	ę			•	
		·			
		,			
			•		

Since you formerly used your lagoen for listed hazerdons waste disposal precistes, 2051, it sust be reported on the Superfund application provided to you. I have anclosed with this letter a copy of the April 15, 1982, "Vol-46, No. 77, federal Register, which addresses this circumstance on page 22146, for your reference.

Please contact Mr. Allen Debus at (312) 886-7439, if you have further question or comments.

7n

sincerety,

Cugene Reyer, Ph.B., Chief Technical Programs Section

cei Kathy Hoser

371120 [3g]

6715 Irwin Simpson Rd. • Mason, Ohio 45040 • Phone (513) 398-0774 • FAX (513) 398-9972

APR 1 2 1993 M. A. LYVERSE

April 9, 1993

Mr. Mark Lyverse Chevron U.S.A., Inc. P.O. Box 96 North Bend, OH 45052

Dear Mark,

Enclosed please find information pertaining to our qualifications, experience, and background, as well as a listing of individuals who use our services frequently and would be willing to provide a reference for us. I am also including the certificates for the OSHA Health and Safety annual refreshers. Should you require anything in addition to these items, please let me know.

Sincerely,

Carale

	•					
	•			:		
						÷
				·		
	÷					
			•			٠
					·	
		·				


# STATEMENT OF QUALIFICATIONS <u>Jersey West Drilling</u>, Inc.

Jersey West Drilling, Inc. was established in 1984 to provide subsurface exploratory and environmental drilling on a contract basis. Jersey West offers a complete drilling service for geotechnical and environmental investigations. Services include auger and rotary borings, soil sampling, rock coring, ground water observation and monitoring wells, and other specialized services and installations.

Jersey West Drilling employs the services of Michael Caprioni, Vice-president and sole driller, who is highly qualified in a diversity of drilling applications, methods and techniques. Prior to establishing Jersey West, Mr. Caprioni acquired extensive experience with other firms involving geotechnical and environmental investigations throughout the Northeast and Midwestern sections of the United States, as well as off-shore and overseas (Africa). His special abilities include hollow-stem auger drilling at extended depths, accurate soil sampling in "heaving" formations, monitoring well installations in difficult formations, air work, and innovative development techniques for monitoring wells.

The following is a partial listing of projects performed by Jersey West which have required soil sampling, installation of ground water monitoring wells, and/or other related instrumentation:

Project Owner/Location	Soil Sampling	Monitoring Wells	Other Service/ Instrumentation
BFI, Morrow, OH	X	X	
Chevron USA, Cleves, OH	X	X	•
Cincinnati Gas & Electric	X	X	•
(numerous locations)			
Dayton Power & Light,	Χ.	X	,
Aberdeen, OH			
CECOS, Williamsburg, OH	X	X	X
Hilton Davis, Cincinnati, OH	X	X	,
Kaiser Aluminum, Ravenswood,	X	X	
W. Va.			
Miami Paper, Moraine, OH	X	· X	
Monsanto (numerous locations)	X	X	X
Occidental Chemical, Kenton, Or	+ X	X	X
Proctor & Gamble, Cincinnati, (	OH X	. X	^
Safety Kleen (numerous sites)	X.	: <b>X</b>	
Shell Oil (numerous sites)	×	X	•
Sherman Williams, Dayton, OH	X	X	X
Sohio, Lima, OH	X	X	•
USS Chemical, Florence, KY	X	X	Χ
WABCO, Indianapolis, IN	X	X	
Wald Mfg., Maysville, KY	X	. X	. X
Waste Management (numerous	: X	X	X
locations)			^
Westinghouse, Fernald, OH	X	X	



#### MICHAEL CAPRIONI

6715 Irwin Simpson Road Mason, Ohio 45040 (513) 398-0774

#### EXPERIENCE

1984 - Present

JERSEY WEST DRILLING, INC. Mason, Ohio Vice-president/driller

Supervision and performance of all drilling and related activities; maintenance of drilling equipment and machinery; on—site client contact; drilling assistance and consulting to other contractors

1982 - 1984

SOIL AND MATERIAL ENGINEERS, INC. Cincinnati, Dhio (now Rust Environment and Infrastructure)
Drilling supervisor/driller

Established a drilling department; supervised and performed all drilling and related services; maintained all drilling machinery and equipment; provided cost quotations

1978 - 1982

BOWSER-MORNER, INC. Dayton, Ohio Core driller

Performed drilling services including soil sampling, rock coring, installing ground water monitoring wells; other geotechnical instrumentation and in-situ testing

1970 - 1978

WARREN GEORGE, INC. Jersey City, N.J. Core driller

Performed drilling, soils sampling, rock and coal coring, installing ground water monitoring wells and other geotechnical instrumentation; specialized drilling; off-shore and overseas drilling

### LICENSES AND PROFESSIONAL AFFILIATIONS

State of New Jersey

Licensed journeyman well driller, License No. 1242 State of West Virginia

Certified water well driller, Certificate No. 294 State of Indiana

Licensed water well driller, Certificate No. 614 Commonwealth of Pennsylvania


Licensed water well driller, Registration No. 1934 Commonwealth of Kentucky

Certified monitoring well driller, Certif. No. 0265-0331 Ohio Water Well Association

Vice-president, District 2 (1989-1991)

National Drilling Contractors Association

Member



#### REFERENCES

Civil & Environmental Consultants, Inc. 4665 Cornell Road, Suite 255 Cincinnati, Ohio 45241 (513) 469-0200

Contact: Mr. Richard Kenter

Dames & Moore 644 Linn St., Suite 501 Cincinnati, Ohio 45203 (513) 651-3440

Contact: Mr. Dennis Connair

Eagon & Associates, Inc. 100 Old Wilson Bridge Road, Suite 320 Worthington, Ohio 43085 (614) 888-5763


Contact: Mr. Herbert B. Eagon, Jr.

W.W. Engineering & Science, Inc. 6660 Busch Blvd. Columbus, OH 43229 (614) 847-6008

Contact: Mr. Steven Thacker

Zorn Engineering 3833 Eastern Ave. Cincinati, OH 45226 (513) 871<sub>3</sub>7525

Contact: Mr. John Zorn



## JERSEY WEST DRILLING, INC.

Mason, Ohio (513) 398-0774

#### EQUIPMENT

Drill Unit: 1990 Acker SOIL-MAX with 13,500 ft. 1bs. torque

setup for auger, rotary or coring

Equipped with:

Wireline unit

Bean high-pressure mud pump IR 250 cfm air compressor

Supply Units: 1992 Dodge 1-ton supply truck

1988 Chev. 1-ton water truck (500 gal. stainless steel water tank - only potable water hauled in this tank)

Trailers (14,000 gvw gooseneck; 5500 gvw all-purpose)

Decon: Delco Versa 4300 steam cleaner/pressure washer

(self-contained unit with own generator for cleaning

where no power available)

Additional: CME continuous split-barrel sampler

Conventional (Mobile Lok-NW), wireline (Craelius)

Belgian system, and air coring (Hoffman) equipment

Conventional or wireline down-the-hole hammers

Air hammers

Portable welder; cutting equipment

CAPABILITIES:

Hollow-stem augering: 2%" i.d.; 4%" i.d. to 200 ft.;

6%" i.d. to 115 ft.

Soil sampling (SPT split-spoon, 2" & 3"; continuous

sampler; Shelby tube, etc.)

Rotary drilling, air or wash, up to 10" rollerbit

Rock coring, air or water

OTHER EQUIPMENT:

1976 Mobile B-53 auger rig

Topcon self-leveling elevation equipment

Well development equipment (BK hand pump, 30 gpm submersible pump for 4" wells, 2" Grundfos submersible pump for 2" wells; filtered air-lift

			w					
								,
				•				
	·							
		•						
				•				
	,			,				
			•					
	e e						•	
					•			
	* .							
						·		
	÷							
,								
e e e								









0HD 083 364 479 HOOI Brower RD With Bent Off

TO

<u>Region Poministration</u>

U.S. E.P.A. REGION V

From

TOM WORMS/CHURLYUSH, Igh

P.O. BOX 2235

BARRAGAS, MO 2/0/3

Our File Your File

Subject "Soft HAMMER WASTE CENTERCATION" Date	19
ATTACHED IS The "Soft HAMMEN CENTIFICATION" IT WASTE GENER	nteo
at CHURON'S CINCINNIATI ASPHAT RELINERY, 11601 BR	u uu ex
ROAD, P.O. BUZ 96, NOTH BUD, CH 4505Z. CHUMICAL U	U'ASTE
MAMPLEMENT INC 933 FRANK ROAD, COLUMBUS OH 432	
18 going To incinerate The waste. The CHANGERS	
INVOCUED an CHOTHOU, WASTES.	
Tog Norms	
Signed Mas 1 las	dit-

An immediate reply will help finalize this matter.

Reply	Date 19				
	was processing				
	C. Transv				
	Signed				
Printed in U.S.A.	GO-144-C (OS-7-				

Originator - Retain yellow copy. Forward white and pink (with carbon attached). Addressee - Please return white copy with your reply.

37437







# Chevron USA Inc.

810 Gleneagies Court, Towson, MD 21204 • Phone (301) 337-5300

### "SOFT HAMMER CERTIFICATION"

Per 40 CFR 268.8(a)(1), Chevron U.S.A., Inc. is submitting this demonstration that the following wastes: U019-Benzene, U044-Chloroform, U154-Methanol, and U226-111 Trichloroethane are being treated by the best practically available technology which yields the greatest environmental benefit as indicated in this demonstration.

The facilities contacted were:

Facility:

Ashland Chemical Company

Industrial Chemicals and Solvents Division

P.O. Box 2219

Columbus, OH 43216

(614) 889-3333

Contact:

William J. Frost

Contacted: 9-2-88

Treatment: May be able to landfill in small quantities. Incineration costs

would be prohibitive, on the order of \$5/lb.

Facility:

Environmental Conservation Systems, Inc.

Brooks, Kentucky Sales Office: P.O. Box 228

Ashland, Virginia 23005

(804) 798-7981

Contact:

Ken Scaplehorn

Contacted: 9-8-88

Treatment: Truck to Alabama for blending and/or fuel stock if not in bulk

(Tank Truck) quantities. If still in containers, would be best to incinerate. They do not have their own incinerator and would

have to use other facilities.

Facility:

L.W.D. Inc.

P.O. Box 327

Calvert City, KY 42029

(502) 395-8313

Contact:

Allan Orth

Contacted: 9-9-88

Treatment: Depending on the site of the containers, they would either

incinerate the material as is or empty into larger batches for gradual feeding. L.W.D. does not normally handle lab packs.

I believe that the information provided above is true and accurate.

Jeff Angermann

Compliance Specialist

TJN:tf:3456-9/88